



ImCheck Announces First Patients Dosed in Phase II of EVICTION Trial for ICT01

EVICTION trial proceeds to Phase IIa based on promising Phase I patient data for ICTO1 across a broad range of solid tumors

Marseille, France, February 3, 2022 – ImCheck Therapeutics announced today that the first patients have been dosed in the Phase IIa monotherapy expansion arm in the ongoing Phase I/IIa EVICTION clinical trial of ICT01, a $\gamma9\delta2$ T cell-activating monoclonal antibody targeting BTN3A. ImCheck will test two dose levels of ICT01 in patients with 2nd and 3rd line ovarian cancer or head and neck squamous cell carcinoma in the initial expansion arms.

ImCheck has presented results from Phase I of the EVICTION trial in oral presentations at major medical conferences in 2021, including AACR, ESMO and SITC, demonstrating ICT01's safety, its powerful mechanism of action leading to activation, migration and tumor infiltration of circulating $\gamma9\delta2$ T cells, CD8 T cells & NK cells, and initial tumor responses.

"We continue to meet our clinical development milestones and build on the positive clinical results we have reported to date. This is thanks to the great collaboration between the ImCheck team and an outstanding group of clinicians at trial centers in Europe and in the U.S.," commented Pierre d'Epenoux, Chief Executive Officer of ImCheck Therapeutics. "ImCheck has now transitioned into a mid-stage clinical company which speaks to our commitment to developing new therapeutic options for cancer patients. As the most clinically-advanced company in the field of antibody therapies activating gamma-delta T cells, we aim to set a strong precedent for the development of innovative treatments in this area."

Additional expansion arms are planned in hematological malignancies and in combination with pembrolizumab in solid tumor indications later this year.

**

About the EVICTION Trial

EVICTION is a first-in-human, dose escalation (Part 1) and cohort expansion (Part 2) clinical trial of ICT01 in patients with various advanced relapsed or refractory solid or hematologic cancers that have exhausted standard of care treatment options. Part 1 is a basket trial designed to characterize the preliminary safety, tolerability, and pharmacodynamic activity of ICT01 as monotherapy (Group A: solid tumors; Group B: hematologic tumors) and in combination with pembrolizumab (Group C: solid tumors). Group A included bladder, breast, colorectal, gastric, melanoma, ovarian, prostate, and pancreatic cancer patients, Group B included acute myeloid leukemia, acute lymphocytic leukemia, follicular lymphoma, and diffuse large B cell lymphoma patients, and Group C included bladder, head and neck squamous cell carcinoma, melanoma, and non-small cell lung cancer patients. Basket trials are a clinical trial design that allows new drugs to be tested rapidly in a range of indications, providing initial data on multiple parameters that can contribute to an accelerated development timeline. Part 2 of the trial is a Phase II cohort expansion in selected indications based on Part I of the study with both monotherapy and combination settings. First indications selected for this Phase II part are ovarian cancer and

PRESS RELEASE



Head and Neck Squamous Cell Carcinoma (HNSCC). More information on the EVICTION trial can be found at <u>clinicaltrials.gov</u> (NCT04243499).

About ICT01

ICTO1 is a humanized, anti-BTN3A (also known as CD277) monoclonal antibody that selectively activates $\gamma9\delta2$ T cells, which are part of the innate immune system that is responsible for immunosurveillance of malignancy and infections. The 3 isoforms of BTN3A targeted by ICTO1 are overexpressed on a number of solid tumors (e.g., bladder, colorectal, melanoma, ovarian, pancreatic, lung) and hematologic cancers (e.g., leukemia & lymphoma) and also expressed on the surface of innate (e.g., $\gamma\delta$ T cells and NK cells) and adaptive immune cells (T cells and B cells). BTN3A is essential for the activation of the anti-tumor immune response of $\gamma9\delta2$ T cells.

As demonstrated in EVICTION data presented at AACR, ICT01 selectively activates circulating $\gamma9\delta2$ T cells that leads to migration of $\gamma9\delta2$ T cells out of the circulation and into target tissue (e.g., tumors), while also activating the tumor-resident $\gamma9\delta2$ T cells to directly kill malignant cells, which is accompanied by secretion of two key inflammatory cytokines, IFNg and TNFa, that contribute to the expansion of the anti-tumor immune response. ICT01 has been shown to have anti-tumor activity against a range of cancers in *in vitro* and *in vivo* tumor models.

About IMCHECK THERAPEUTICS

ImCheck Therapeutics is designing and developing a new generation of immunotherapeutic antibodies targeting butyrophilins, a novel super-family of immunomodulators.

As demonstrated by lead clinical-stage program ICT01, which has a mechanism of action to simultaneously modulate innate and adaptive immunity, ImCheck's "first-in-class" activating antibodies may be able to produce superior clinical results as compared to the first-generation of immune checkpoint inhibitors and, when used in combination, to overcome resistance to this group of agents. In addition, ImCheck's antagonist antibodies are being evaluated as potential treatments for a range of autoimmune diseases.

Co-founder of the Marseille Immunopole cluster, ImCheck benefits from support from Prof. Daniel Olive (INSERM, CNRS, Institut Paoli Calmettes, Aix-Marseille Université), a worldwide leader in $\gamma\delta$ T cells and butyrophilins research; from the experience of an expert management team; and from the commitment of leading US and European investors.

For further information on ImCheck: http://www.imchecktherapeutics.com and @ImCheckThx

Press contacts

US and EU Trophic Communications Gretchen Schweitzer +49 (0) 172 861 8540 imcheck@trophic.eu

France ATCG PARTNERS

Céline Voisin +33 (0)9 81 87 46 72 / +33 (0)6 62 12 53 39 imcheck@atcg-partners.com