



Investor Presentation June 2020

Maersk Drilling (CSE: DRLCO)

Forward-looking statements

This presentation contains certain forward-looking statements (being all statements that are not entirely based on historical facts including, but not limited to, statements as to the expectations, beliefs and future business, contract terms, including commencement dates, contract durations and day rates, rig availability, financial performance and prospects of The Drilling Company of 1972 A/S, hereinafter referred to as "Maersk Drilling" or "the Company"). These forward-looking statements are based on our current expectations and are subject to certain risks, assumptions, trends and uncertainties that could cause actual results to differ materially from those indicated by the forward-looking statements due to external factors, including, but not limited to, oil and natural gas prices and the impact of the economic climate; changes in the offshore drilling market, including fluctuations in supply and demand; variable levels of drilling activity and expenditures in the energy industry; changes in day rates; ability to secure future contracts; cancellation, early termination or renegotiation by our customers of drilling contracts; customer credit and risk of customer bankruptcy; risks associated with fixed cost drilling operations; unplanned downtime; cost overruns or delays in transportation of drilling units; cost overruns or delays in maintenance, repairs, or other rig projects; operating hazards and equipment failure; risk of collision and damage; casualty losses and limitations on insurance coverage; weather conditions in the Company's operating areas; increasing costs of compliance with regulations; changes in tax laws and interpretations by taxing authorities, hostilities, terrorism, and piracy; impairments; cyber incidents; the outcomes of disputes, including tax disputes and legal proceeding; and other risks disclosed in Maersk Drilling's Annual Reports and company announcements. Each forward-looking statement speaks only as of the date hereof, and the Company expressly disclaims any obligation to update or revise any forward-looking statements, except as required by law.

Third-party data and information

The IHS Markit reports, data and information referenced herein (the "IHS Markit Materials") are the copyrighted property of IHS Markit Ltd. and its subsidiaries ("IHS Markit") and represent data, research, opinions or viewpoints published by IHS Markit, and are not representations of fact. The IHS Markit Materials speak as of the original publication date thereof and not as of the date of this document. The information and opinions expressed in the IHS Markit Materials are subject to change without notice and IHS Markit has no duty or responsibility to update the IHS Markit Materials. Moreover, while the IHS Markit Materials reproduced herein are from sources considered reliable, the accuracy and completeness thereof are not warranted, nor are the opinions and analyses which are based upon it. IHS Markit is a trademark of IHS Markit. Other trademarks appearing in the IHS Markit Materials are the property of IHS Markit or their respective owners.

The data ("Rystad Data") included in this document sourced to Rystad Energy AS ("Rystad Energy") is included on an "as is" basis without any warranties of any kind, either express or implied. The Rystad Data speak as of the original publication date thereof and not as of the date of this document. The information and opinions expressed in the Rystad Data are subject to change without notice and Rystad has no duty or responsibility to update the Rystad Data. Rystad Energy expressly disclaims any and all legal liability or responsibility for the accuracy, completeness or fitness for a particular purpose (e.g. investment activities), or for the usefulness of any information used or disclosed in this document.

About Maersk Drilling

Maersk Drilling (CSE: DRLCO) owns and operates a fleet of 22 offshore rigs specialising in harsh-environment and deepwater drilling operations. With more than 45 years of experience operating in the most challenging environments Maersk Drilling provides safe, efficient, and reliable drilling services to oil and gas companies around the world. Headquartered in Denmark, Maersk Drilling employs 2,850 people. For more information about Maersk Drilling, visit www.maerskdrilling.com.

Unparalleled CJ70
jack-up fleet

Unique customer
relations and
partnerships

High revenue
visibility and
financial flexibility



Strategic
position



Versatile offshore rig fleet serving customers globally

Rig types

Number of rigs by rig type

Geography

Current areas of operation

Customers

Current customers


Jack-ups



Jack-ups

14

rigs



Floaters



Semi-submersibles

4


rigs






Drillships

4

rigs



North Sea jack-up fleet generating the largest share of revenue




(1) The benign jack-up rigs Maersk Completer, which was sold on 7 January 2020, and Maersk Convincer are not included in either segment and are reported under unallocated activities

Modern fleet with substantial future earnings capacity

Jack-up fleet age


Years



Floater fleet age

Years

Economic rig life time - 25 years



Harsh-environment focused jack-up fleet


| Rig name | Rig type | Design | Delivery year | Harsh environment | Norwegian AoC ⁽¹⁾ | Rated water depth (ft.) | Rated drilling depth (ft.) |
|--------------------|----------|---|---------------|-------------------|------------------------------|-------------------------|----------------------------|
| Mærsk Innovator | Jack-up | MSC CJ70-150 MC | 2003 | Yes | Yes | 492 | 30,000 |
| Mærsk Inspirer | Jack-up | MSC CJ70-150 MC | 2004 | Yes | Yes | 492 | 30,000 |
| Maersk Integrator | Jack-up | MSC CJ70-X150 MD | 2015 | Yes | Yes | 492 | 40,000 |
| Maersk Interceptor | Jack-up | MSC CJ70-X150 MD | 2014 | Yes | Yes | 492 | 40,000 |
| Maersk Intrepid | Jack-up | MSC CJ70-X150 MD | 2014 | Yes | Yes | 492 | 40,000 |
| Maersk Invincible | Jack-up | MSC CJ70-X150 MD | 2016 | Yes | Yes | 492 | 40,000 |
| Maersk Reacher | Jack-up | MSC CJ50-X100 MC | 2009 | Yes | Yes | 350 | 30,000 |
| Maersk Resilient | Jack-up | MSC CJ50-X100 MC | 2008 | Yes | No | 350 | 30,000 |
| Maersk Resolute | Jack-up | MSC CJ50-X100 MC | 2008 | Yes | No | 350 | 30,000 |
| Maersk Resolve | Jack-up | MSC CJ50-X100 MC | 2009 | Yes | No | 350 | 30,000 |
| Maersk Highlander | Jack-up | Friede & Goldman JU2000E | 2016 | Yes | No | 400 | 30,000 |
| Mærsk Gallant | Jack-up | CJ62-S120 JU | 1993 | Yes | Yes | 394 | 25,000 |
| Maersk Guardian | Jack-up | Hitachi Zosen, self-elevating cantilever unit | 1986 | Yes | No | 350 | n/a ⁽²⁾ |
| Maersk Convincer | Jack-up | Baker Pacific Class 375 | 2008 | No | No | 375 | 30,000 |

(1) Acknowledgement of Compliance (2) Unit working as an accommodation rig. Derrick and drilling equipment have been removed
 Note: For information about fleet contracting status, please see Maersk Drilling's latest Fleet Status Report available at investor.maerskdrilling.com

Position as market-leader in Norway centred around CJ70 jack-up rigs


Eight rigs capable of working in Norway

Maersk Drilling ultra-harsh environment jack-up fleet and design




Unmatched experience in Norway

Number of wells drilled in Norway using jack-up rigs over the period 1990-2018⁽¹⁾, ranked




Leader in the ultra-harsh environment segment

Number of ultra-harsh environment jack-up rigs per drilling contractor⁽²⁾, ranked



(1) Excludes drilling contractors that have drilled less than five wells during the period 1990-2018. Excludes well drilled by drilling contractors not specified (i.e. 'unknown'). Excludes wells drilled by E&P companies (e.g. Equinor). 'Others' includes AMNGR and Transocean. (2) Excluding two ultra-harsh environment jack-up rigs owned by Equinor (3) Rig does not have the required Acknowledgement of Compliance (AoC) certification to operate in Norway
Source: IHS Markit – RigPoint, Rystad

CJ70 – the largest and most capable jack-up rigs




Note: Percentages are calculated as an index based on the highest number in each of the different specification categories. Only rigs in Maersk Drilling's peer group are included. Specifications may vary for rigs of similar designs.
 Source: IHS Markit – RigPoint

The CJ70s are contributing to resource management in all modes



Valhall Plug & Abandonment

Maersk Invincible



Hanz appraisal

Maersk Intrepid



Gina Krog platform

Maersk Integrator



Oda subsea development

Maersk Interceptor

CJ70 case study: Oda Field subsea development


Our technical proposals, solutions and ability to work as one team...



ONE TEAM
WELL PREPARED


...resulted in significant project cost savings through early completion

Number of days



Example of how we drove down time spent on a drilling riser

Hours spent per repetition




"The [CJ70] XLE's are so *efficient* that it is actually logistics that become one of the key challenges in projects"
– Well Operations Manager, Spirit Energy

Note: P50 and P10 indicate 50% and 10% probability of outcome, respectively



Significantly reducing well time spent in Plug & Abandonment campaign


Number of days spent per well



CJ70-efficiency provides significant total well cost savings

| <i>Illustrative example</i> | CJ50 | CJ70 |
|--|------------|------------|
| Day rate <i>(USDk/day)</i> | 105 | 295 |
| Financial uptime <i>(Average across segment)</i> | 99% | 99% |
| Days per well <i>(Drilling)</i> | 61 | 30 |
| Days on contract <i>(Total, based on 12-well programme)</i> | 739 | 364 |
| Drilling days <i>(Days on contract * financial uptime)</i> | 732 | 360 |
| Drilling cost <i>(Day rate * drilling days, USDm)</i> | 77 | 106 |
| Spread cost <i>(Based on USD 300k/day on contract, USDm)</i> | 222 | 109 |
| Total well cost <i>(Drilling cost + spread cost, USDm)</i> | 299 | 215 |


Note: Above is an illustrative example with day rates from the two most recent contracts Maersk Drilling has signed for each rig-type. Spread cost comprises the total cost to drill a well, excluding drilling cost, and will vary from project to project, but will typically comprise between 40% and 60% of the total well cost.



The CJ70 market has historically enjoyed higher utilisation and day rates


CJ70-utilisation versus all North Sea⁽¹⁾ jack-ups

Marketed monthly utilisation⁽²⁾



Jack-up fixtures⁽³⁾ and corresponding day rates in the North Sea⁽¹⁾

Jack-up fixtures in the North Sea and CJ70-examples (in orange)




(1) North Sea defined as Denmark, Netherlands, Norway and UK (2) Based on rigs which were actually under contract at the time (i.e. excludes any future contracts) (3) Only fixtures with publicly available day rates are shown
Source: IHS Markit - RigPoint

Subsea development to become increasingly important offshore Norway


Average size of discoveries has declined over the past 20 years...

Development of resources and number of discoveries




...however, more discoveries are being developed, calling for new solutions to maintain profitability

Average size at first PDO⁽³⁾ and number of approved plans



Phasing into existing infrastructure will be most likely development solution for majority of discoveries

Discoveries and resources in portfolio by most profitable solution



(1) Standard Cubic Meters of Oil Equivalent (2) Consists of oil, natural gas liquids (NGL) and condensate (3) PDO = Plan for Development and Operation
Source: Norwegian Petroleum Directorate, Resource Report Discoveries and Fields 2019, published September 2019

The CJ70s' subsea advantages put them in front for future employment

Main CJ70 subsea advantages⁽¹⁾

Reduced downtime caused by weather

Improved equipment lifetime

Optimised riser and BOP handling

Potential cost and emissions upsides



(1) Compared to the use of a semi-submersible rig

The CJ70s are fronting the drive towards low-emission drilling



1. Maersk Invincible running entirely on shore-power

During part of 2017 and 2018, the rig was running on 100% hydropower via a 294 km long cable to a Norwegian hydropower plant

In addition to reducing emissions, the solution also reduces cost and time for maintenance and improves work environment due to reduced noise and vibrations

2. Energy and Emissions Efficiency (EEE) software

Fully digitalised fuel and energy monitoring system providing near real-time information to be used for learning and optimisation towards more fuel-efficient behaviour

The system has been used on the Maersk Integrator since 2018, significantly reducing fuel consumption

3. Selective Catalytic Reduction (SCR)

Captures NOx exhausts and use ammonia injections to convert the gas into harmless water and nitrogen.

By installing SCR units on all the rig's engine exhaust pipes, Maersk Drilling expects to be able to reduce NOx emissions by more than 90%, while also reducing soot emissions significantly

4. Hybrid upgrades on Norwegian jack-ups

Combining hybrid power, data intelligence (EEE) and cleaning technology (SCR), Maersk Drilling's hybrid jack-ups will push the boundaries for low-emission drilling on conventionally powered offshore drilling rigs

Modern deepwater-focused floater fleet

| Rig name | Rig type | Design | Delivery year | Generation | Rated water depth (ft.) | Rated drilling depth (ft.) |
|-------------------|-----------------|-------------|---------------|------------|-------------------------|----------------------------|
| Maersk Valiant | Drillship | Samsung 96K | 2014 | 7G | 12,000 | 40,000 |
| Maersk Venturer | Drillship | Samsung 96K | 2014 | 7G | 12,000 | 40,000 |
| Maersk Viking | Drillship | Samsung 96K | 2014 | 7G | 12,000 | 40,000 |
| Maersk Voyager | Drillship | Samsung 96K | 2015 | 7G | 12,000 | 40,000 |
| Maersk Deliverer | Semisubmersible | DSS21-DP2 | 2010 | 6G | 10,000 | 32,800 |
| Maersk Developer | Semisubmersible | DSS21-DP2 | 2009 | 6G | 10,000 | 32,800 |
| Maersk Discoverer | Semisubmersible | DSS21-DP2 | 2009 | 6G | 10,000 | 32,800 |
| Maersk Explorer | Semisubmersible | DSS10-CAM-M | 2003 | 5G | 3,281 | 30,000 |

Note: For information about fleet contracting status, please see Maersk Drilling's latest Fleet Status Report available at investor.maerskdrilling.com

Norway-experience successfully transferred to floater operations


Transferring Norway capabilities to floater operations



Technology

Operational excellence

Customer centricity



Selected operational achievements in the floater segment

Maersk Developer

Reactivation from warm-stacking in just eight weeks, completing the operation with 99.3% uptime

Maersk Venturer

World's deepest well (3,411 meters) drilled with 99.2% uptime in strong currents up to 3 knots

Maersk Discoverer

Longest well drilled in the Mediterranean and deepest in Egypt. Completed 64 days ahead of AFE target

Maersk Voyager

In 15 months, the rig drilled 15 new wells, re-entered three well, drilled four side-track sections and ran lower completion on nine wells. All completed 200 days ahead of schedule

Unique customer service delivery model drives partnerships and value pricing



Relationship taken to the next level

Five-year framework agreement with the option to extend for a further five years. Alliance is based on an **integrated well-delivery model** with **aligned incentives**.


Focus on increasing **collaboration** efficiency and enabling standardisation and simplification of processes, ultimately **shortening the lead time** from discovery to first oil.

Participants:




- Aker BP
- Maersk Drilling
- Halliburton

Key aim:

- Lowering the cost per barrel for Aker BP
- Increase the profitability for the alliance partners



A solid contract backlog ensuring earnings visibility



(1) As of 31 March 2020

Long-term customer relations have enabled non-speculative investments

Newbuild – Maersk Integrator | Delivered in 2015



644 USDm
Investment cost



620 USDm
Est. contract value

4 years
Firm contract duration

Newbuild – Maersk Invincible | Delivered in 2017



636 USDm
Investment cost



812 USDm
Est. contract value

5 years
Firm contract duration

Acquisition – Maersk Highlander | Delivered in 2016



191 USDm
Investment cost



420 USDm
Est. contract value

5 years
Firm contract duration



Financial profile

Levers for generating free cash-flow to equity



Solid balance sheet and liquidity position



Strong operating cash-flow generation



No newbuild capex commitments and limited off-balance re-activation cost exposure




Long maturity runway and attractive funding costs

Solid balance sheet and liquidity position



Leverage ratio

Net interest bearing debt to EBITDA before special items



Total liquidity

USDm



Revised full-year guidance reflects adjusted commercial and operational expectations



EBITDA (before special items)

250-300

Previously 325-375 [and originally 400-450]
(USDm)

Capital expenditures

~150

Previously 150-200
(USDm)

Assumptions behind EBITDA guidance:

Current contract backlog

No additional contracts with financial impact in 2020

COVID-19 related costs of USD 23m, but USD 15m to be passed on to customers

Cost-saving initiatives implemented onshore and offshore




Assumptions behind capex guidance:

Expectation of three SPSs to be completed in 2020

Planned rolling maintenance on certain other rigs

(1) Capital expenditures are sensitive to final scheduling and scoping of rig upgrades and yard stays, which are subject to commercial and operational planning


Earnings sensitivity




(1) Assumptions: Daily opex while operating = USD 140k/day, daily opex while idle = USD 15k/day, number of days in year = 365 (2) Assumptions: Daily opex while operating = USD 57.5k/day, daily opex while idle = USD 15k/day, number of days in year = 365 (3) Assumptions: Daily opex while operating = USD 150k/day, daily opex while idle = USD 37.5k/day, number of days in year = 365
 Note: Examples show pre-SG&A EBITDA sensitivity for one rig in each category

Earnings converted to operating cash-flow


EBITDA before special items and EBITDA margin
USDm



Operating cash-flow and cash conversion⁽¹⁾
USDm




(1) Calculated as operating cash-flow divided by EBITDA after special items. Operating cash-flow does not include interest expenses.




No newbuild capex commitments and limited off-balance re-activation cost exposure



Number of rigs by delivery status




Number of rigs by current status



Maintenance capex mainly relates to Special Periodic Surveys

5-yearly Special Periodic Survey cost requirements by rig type and annual run-rate




Levers to reduce maintenance capex


Further improvements from rolling condition-based maintenance programme still achievable

Removing non-essential maintenance

(1) Expected average over the 5-yearly SPS cycle across Maersk Drilling's fleet




Long maturity runway with attractive funding cost



Debt maturity profile

USDm



Average funding cost

Percent

FY 2020⁽¹⁾
~4.5

Q1 2020
4.6

(1) Expected average funding costs based on expectations as of the date of this presentation

Capital allocation priorities

- 1 Maintain a robust capital structure with sufficient funding available to support the business through the cycle
- 2 Pursue investment opportunities that will support long-term shareholder value creation
- 3 Provided that the capital structure is deemed solid, return surplus capital to shareholders

Target leverage

- Maersk Drilling will generally work towards a leverage ratio (net debt divided by EBITDA before special items) of around 2.5x.
- If the leverage ratio is below 2.5x and no attractive investment opportunities have been identified, Maersk Drilling will seek to return capital to share-holders by means of dividends and/or share buy backs
- If value adding investment opportunities that require a need for additional funding arise, or if EBITDA is reduced in a business down-cycle, the leverage may exceed the target level of around 2.5x for a period of time. The focus here will be to reduce net debt to reach the targeted leverage level of around 2.5x



Supplementary information



The Drilling Company of 1972 A/S

Lyngby Hovedgade 85
2800 Kongens Lyngby
Denmark

Contacts

Michael Harboe-Jørgensen

Head of Investor Relations

T: +45 2328 5733

M: Michael.Harboe-Jorgensen@maerskdrilling.com

Andreas Escherich Holkjær

Investor Relations Officer

T: +45 3137 6076

M: Andreas.Escherich.Holkjaer@maerskdrilling.com