U NOVARTIS

Novartis International AG Novartis Global Communications CH-4002 Basel Switzerland

https://www.novartis.com https://twitter.com/novartisnews

MEDIA & INVESTOR RELEASE

Novartis announces T-Charge[™], next-generation CAR-T platform with first-in-human data at ASH 2021

- T-Charge, a next-generation platform that aims to revolutionize CAR-T cell therapy, will serve as foundation for various investigational CAR-T therapies
- Early data from first-in-human dose-escalation trials with YTB323 and PHE885 show promising results that support ongoing research and development with the hope of improving upon existing CAR-T therapies^{1,2}
- Initial efficacy results include 73% complete response rate at month three with dose level two in the YTB323 study in DLBCL and 100% best overall response in the PHE885 study in multiple myeloma^{1,2}
- Novartis continues to accelerate development of the T-Charge platform, which preserves T cell stemness, an important characteristic closely tied to its therapeutic potential, and implements important process efficiencies^{3,4}
- With the implementation of important process efficiencies, the T-Charge platform will be rapid, compared with traditional CAR-T, and reliable, through simplified processes and streamlined quality control¹⁻⁴

Basel, December 13, 2021 — Novartis today announced the introduction of T-Charge[™], the company's next-generation CAR-T platform that will serve as the foundation for various new investigational CAR-T cell therapies in the Novartis pipeline. At the 63rd American Society of Hematology Annual Meeting & Exposition (ASH) 2021, Novartis will present early clinical data from ongoing Phase I clinical trials with YTB323 (anti-CD19) and PHE885 (anti-BCMA), the first Novartis CAR-T cell therapies developed using this platform. Notably, initial efficacy data show a complete response rate of 73% (95% CI: 44.9, 92.2) at month three for the 15 patients with diffuse large B-cell lymphoma (DLBCL) who received dose level two of YTB323¹. For the 11 patients with multiple myeloma who received the two highest doses of PHE885, the best overall response was 100%².

The T-Charge platform preserves T cell stemness, the ability to self-renew and mature, which results in a product containing greater proliferative potential and fewer exhausted T cells^{3,4}. With T-Charge, CAR-T cell expansion occurs primarily within a patient's body (in-vivo), eliminating the need for an extended culture time outside of the body (ex-vivo)^{3,4}. These unique characteristics of the T-Charge platform may lead to better and more durable responses, improved long-term outcomes and a reduced risk of severe adverse events¹⁻⁴.

"With T-Charge, we aim to build on the vast knowledge gleaned from early investment in CAR-T research and trials. Our ambition now is to go beyond incremental advances, to further reimagine CAR-T cell therapy and give patients a higher likelihood of durable responses with the ultimate potential for a cure," said Jay Bradner, President of the Novartis Institutes for

BioMedical Research. "We are encouraged by these promising early clinical data from the first CAR-T cell therapies produced using the T-Charge platform as we look to accelerate their development and delivery to patients."

Phase I YTB323 clinical study¹

YTB323, an investigational, autologous CD19-directed CAR-T cell therapy developed using the T-Charge platform, showed promising results in the diffuse large B-cell lymphoma arm of a first-in-human, multicenter, Phase I dose-escalation study. Patients received a single treatment of YTB323 at two dose levels (DL). The median administered doses were 2.5×10⁶ CAR+ cells (DL1; n=4) and 12.5×10⁶ CAR+ cells (DL2; n=16). Of the 15 patients who received YTB323 treatment at DL2 at least three months prior to the data cut-off, the complete response (CR) rate was 73% (95% CI: 44.9, 92.2), including two patients who were in CR prior to treatment with YTB323.

For the 20 patients evaluable for safety, there were no new safety signals beyond those previously known to be related to CD19-directed CAR-T cell therapy. All AEs were reported regardless of the study drug relationship. Six patients experienced CRS including five of grade 1/2 and one of grade 4. Five patients had neurological adverse reactions (AR), of which two events were considered serious (both at DL2; one experienced grade 3 immune effector cell-associated neurotoxicity syndrome (ICANS) and the other experienced grade 2 seizure that resulted in a grade 3 ICANS). Recruitment for this trial is ongoing. These data will be presented in an oral session at the ASH annual meeting (Abstract #740; Monday, December 13, 3:00 PM EST).

"The introduction of CAR-T cell therapy led to unprecedented efficacy results for patients facing limited treatment options and a poor prognosis. Unfortunately, some patients with latestage B-cell malignancies relapse or do not respond after initial response when treated with traditional CAR-T cell therapies," said principal investigator Ian W. Flinn, MD, PhD, Director of the Lymphoma Research Program at Sarah Cannon Research Institute in Nashville. "As part of a community of researchers, physicians and patient advocates, I am hopeful about the promise of novel and next-generation CAR-T cell therapies."

Phase I PHE885 clinical study²

PHE885, an investigational, autologous BCMA-directed CAR-T cell therapy developed using the T-Charge platform, demonstrated promising results in patients with relapsed or refractory multiple myeloma in a first-in-human Phase I, multicenter, dose-escalation study. Fifteen patients were evaluated for efficacy and safety and the fixed doses received were 2.5×10^6 (n=4), 5×10^6 (n=10) and 14.3×10^6 CAR-T cells (n=1). Although the follow-up period was brief, PHE885 shows encouraging initial clinical activity with a best overall response of 100% for patients receiving the 5×10^6 or 14.3×10^6 CAR-T cell dose, with responses deepening over time. With a median follow-up of 3.5 months, eight of 15 patients had ongoing responses at the time of data cutoff. Of the evaluable patients at three months post administration, 34% (2/6) were MRD-negative by next-generation sequencing (NGS) at 10^{-6} ; 43% (3/7) were MRD-negative at 10^{-5} .

All patients experienced CRS with two patients experiencing grade \geq 3 CRS. No patients experienced grade 4 or 5 CRS. All neurotoxicity events (n=4) were nonserious, grade 1-2, reversible, and temporally associated with CRS. Recruitment for this trial is ongoing. These data will be presented in a poster presentation session at the ASH annual meeting (Abstract #3864; Monday, December 13, 6:00 PM EST).

Results from pre-clinical studies of YTB323 and PHE885 that served as the scientific rationale to initiate these Phase I clinical trials will also be presented at the meeting (Abstracts #2848 and #2770).

About T-Charge^{™1-4}

T-Charge is a next-generation CAR-T platform, innovated at the Novartis Institutes for BioMedical Research (NIBR), that will serve as the foundation for various new investigational

CAR-T cell therapies in the Novartis pipeline. By implementing the T-Charge platform, we aim to revolutionize CAR-T cell therapy with new products that have the potential to offer patients a higher likelihood of better and more durable responses, improved long-term outcomes and a reduced risk of severe adverse events. The T-Charge platform preserves T cell stemness (T cell ability to self-renew and mature), an important T cell characteristic closely tied to its therapeutic potential, which results in a product containing greater proliferative potential and fewer exhausted T cells. With T-Charge, CAR-T cell expansion occurs primarily within the patient's body (in-vivo), eliminating the need for an extended culture time outside of the body (ex-vivo). The T-Charge platform, which implements important process efficiencies, will be rapid, compared with traditional CAR-T, and reliable, through simplified processes and streamlined quality control. Multiple CAR-T therapies, including YTB323 and PHE885, are being developed using the Novartis T-Charge platform.

About Novartis commitment to Oncology Cell Therapy

Novartis has a mission to reimagine medicine by bringing curative cell therapies to patients worldwide. Novartis has a deep CAR-T pipeline and ongoing investment in manufacturing and supply chain process improvements. With active research underway to broaden the impact of cell and gene therapy in oncology, Novartis is going deeper in hematological malignancies, reaching patients with other cancer types and evaluating next-generation CAR-T cell therapies that focus on new targets and utilize new platforms.

Novartis was the first pharmaceutical company to significantly invest in pioneering CAR-T research and initiate global CAR-T trials.

Disclaimer

This press release contains forward-looking statements within the meaning of the United States Private Securities Litigation Reform Act of 1995. Forward-looking statements can generally be identified by words such as "potential," "can," "will," "plan," "may," "could," would," "expect," "anticipate," "seek," "look forward," "believe," "committed," "investigational," "pipeline," "launch," or similar terms, or by express or implied discussions regarding potential marketing approvals, new indications or labeling for the investigational or approved products described in this press release, or regarding potential future revenues from such products. You should not place undue reliance on these statements. Such forward-looking statements are based on our current beliefs and expectations regarding future events, and are subject to significant known and unknown risks and uncertainties. Should one or more of these risks or uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary materially from those set forth in the forward-looking statements. There can be no guarantee that the investigational or approved products described in this press release will be submitted or approved for sale or for any additional indications or labeling in any market, or at any particular time. Nor can there be any guarantee that such products will be commercially successful in the future. In particular, our expectations regarding such products could be affected by, among other things, the uncertainties inherent in research and development, including clinical trial results and additional analysis of existing clinical data; regulatory actions or delays or government regulation generally; global trends toward health care cost containment, including government, payor and general public pricing and reimbursement pressures and requirements for increased pricing transparency; our ability to obtain or maintain proprietary intellectual property protection; the particular prescribing preferences of physicians and patients; general political, economic and business conditions, including the effects of and efforts to mitigate pandemic diseases such as COVID-19; safety, quality, data integrity or manufacturing issues; potential or actual data security and data privacy breaches, or disruptions of our information technology systems, and other risks and factors referred to in Novartis AG's current Form 20-F on file with the US Securities and Exchange Commission. Novartis is providing the information in this press release as of this date and does not undertake any obligation to update any forward-looking statements contained in this press release as a result of new information, future events or otherwise.

About Novartis

Novartis is reimagining medicine to improve and extend people's lives. As a leading global medicines company, we use innovative science and digital technologies to create transformative treatments in areas of great medical need. In our quest to find new medicines, we consistently rank among the world's top companies investing in research and development. Novartis products reach nearly 800 million people globally and we are finding innovative ways to expand access to our latest treatments. About 108,000 people of more than 140 nationalities work at Novartis around the world. Find out more at https://www.novartis.com.

Novartis is on Twitter. Sign up to follow @Novartis at https://twitter.com/novartisnews For Novartis multimedia content, please visit https://www.novartis.com/news/media-library For guestions about the site or required registration, please contact media.relations@novartis.com

References

- Flinn, I. et al. A First-in-Human Study of YTB323, a Novel, Autologous CD19-Directed CAR-T Cell Therapy Manufactured Using the Novel T-Charge platform, for the Treatment of Patients (Pts) with Relapsed/Refractory (r/r) Diffuse Large B-Cell Lymphoma (DLBCL). Oral Presentation #740. 2021 American Society of Hematology (ASH) Annual Meeting, Dec 11-14, Atlanta, GA and Virtual.
- Sperling, A. et al. Phase I Study of PHE885, a Fully Human BCMA-Directed CAR-T Cell Therapy for Relapsed/Refractory Multiple Myeloma Manufactured in<2 days Using the T-Charge. Poster #3864. 2021 American Society of Hematology (ASH) Annual Meeting, Dec 11-14, Atlanta, GA and Virtual.
- 3. Engels, B. et al. Preservation of T-Cell Stemness with a Novel Expansionless CAR-T Manufacturing Process, Which Reduces Manufacturing Time to Less Than Two Days, Drives Enhanced CAR-T Cell Efficacy. Abstract #2848. 2021 American Society of Hematology (ASH) Annual Meeting, Dec 11-14, Atlanta, GA and Virtual.
- 4. Bu, D. et al. Identification and Development of PHE885: A Novel and Highly Potent Fully Human Anti-BCMA CAR-T Manufactured with a Novel T-Charge Platform for the Treatment of Multiple Myeloma. Abstract #2770. 2021 American Society of Hematology (ASH) Annual Meeting, Dec 11-14, Atlanta, GA and Virtual.

###

Novartis Media Relations

E-mail: media.relations@novartis.com

Anja von Treskow Novartis External Communications +41 79 392 8697 (mobile) anja.von treskow@novartis.com

Julie Masow Novartis US External Communications +1 862 579 8456 julie.masow@novartis.com

Novartis Investor Relations

Central investor relations line: +41 61 324 7944 E-mail: investor.relations@novartis.com

Central		North America	
Samir Shah	+41 61 324 7944	Sloan Simpson	+1 862 345 4440
Thomas Hungerbuehler	+41 61 324 8425	Alina Levchuk	+1 862 778 3372
Isabella Zinck	+41 61 324 7188	Parag Mahanti	+1 973-876-4912

Fiona Phillips Novartis Oncology Communications +1 862 217 9396 fiona.phillips@novartis.com